



DEPARTMENT OF FORESTRY AND FIRE PROTECTION
NORTHERN REGION HEADQUARTERS - SANTA ROSA
135 Ridgway Avenue
Santa Rosa, CA, 95401
(707) 576-2959
Website: www.fire.ca.gov



January 05, 2021

John Andersen
3700 Old Redwood Highway, Suite 200
Santa Rosa, CA 95403

Timber Harvest Plan
No: 1-20-00160-SON
Freezeout Creek

Letter of Conformance

The Director of the Department of Forestry and Fire Protection (CAL FIRE) finds that the above referenced Timber Harvesting Plan (THP) conforms with the Rules and Regulations of the Board of Forestry and Fire Protection pursuant to the provisions of the Z'Berg-Nejedly Forest Practice Act of 1973. Conformance is indicated by the signature of the CAL FIRE authorized representative on the attached copy of the THP.

Timber operations proposed in the THP may begin according to the conditions specified therein, and subject to the Forest Practice Act, and Forest Practice Rules of the Forest District in which the operations will take place. Amendments to the THP shall be submitted to the Director by the Plan Submitter, or the successor in interest (ref. 14 CCR §1039 and §1040).

The Forest Practice Act requires the submittal of a Work Completion Report and a Report of Stocking, whether operations took place or not:

1. Work Completion Report (ref. PRC §4585): Within one month after completion of work described in the THP, a Work Completion Report shall be submitted by the Timber Owner or the owner's agent with the Department that all work, except stocking, has been completed.
2. Report of Stocking (ref. PRC §4587): This report shall be submitted by the Timber Owner or the owner's agent with the Department within six months or five years after completion of Timber Operations, depending on silvicultural method.

The effective period of this Timber Harvesting Plan is up to five years from the conformance date unless extended pursuant to PRC §4590. This THP will expire on January 04, 2026.

Sincerely,

A handwritten signature in cursive script that reads 'Shawn Headley'.

Shawn Headley, RPF #2970
Forester II, Forest Practice - Coast

cc: Unit (2), TLO/TO/PS, File

To view Harvesting Documents, please visit <https://caltreesplans.resources.ca.gov/caltrees/>

OFFICIAL NOTICE OF CONFORMANCE
For Timber Harvesting Plans (THPs), Non-Industrial Timber Management Plans (NTMPs),
and Substantial Deviation to THPs and NTMPs
NORTHERN REGION HEADQUARTERS - SANTA ROSA
DATE: 1/5/2021

The harvesting plans listed below have been found by the Director of CAL FIRE to be in conformance with the Forest Practice Act and the regulations of the Board of Forestry 1-20-00160-SON

Plan number County Cost	Plan Type	Landowner and plan Submitter (SUB)	RPF	Acres	Legal Description/Watershed	Description
1-20-00160-SON Sonoma 37 cents/page	Timber Harvest Plan	MENDOCINO REDWOOD JOHN CO LLC SUB: MENDOCINO REDWOOD CO LLC	ANDERSEN	299.00	BODEGA, MDBM: T07N R10W S18 , MDBM: T07N R10W S19 , MDBM: T07N R10W S30 , MDBM: T07N R11W S12 , MDBM: T07N R11W S13 , MDBM: T07N R11W S24 Watershed: Dutch Bill Creek, Freezeout Creek, Willow Creek (1114.110401)	Group Selection, Selection, Special Treatment Area Prescription, Variable Retention

The filed plan and associated review documents may be viewed at either the appropriate field office (see below), at the Review Team Office (see above) or through the internet at: <https://caltreesplans.resources.ca.gov/CalTREES/>. All documents on the site are in PDF format and are readable via the free reader from Adobe Acrobat: that can be downloaded from: <http://www.adobe.com/>. To purchase a photocopy by mail please contact the Review Team Office above for number of pages and pricing.

This notice is posted in compliance with Section 1037.1 of Title 14 of the California Code of Regulations.

TO POSTING AGENCY: Please post this Notice at the place where official notices concerning Environmental Quality Act compliance are usually posted. If there are questions, contact the Review Team Office listed above.

cc: Unit (3), RPF, TLO/TO/PS, CC, SAC (email), BOE, Post, File

Posting Period is 30 Days